HP Z4G4T XW2245 128GB/512 PC(11R06EA#UUZ) HP Z4G4T XW2245 128GB/512 PC



Perfect for engineering and visualization, HP's popular workstation delivers disruptive performance for a wide spectrum of applications.

Key Selling Points

Feature-rich functionality
All the power without the noise
HP's secure workstations

Product Features

Feature-rich functionality

The Z4 is ahead of its time with more standard features than any other single processor HP workstation.

All the power without the noise

Next-generation acoustic design delivers quiet performance. A high frequency processor with a multi-core count is fully capable of handling the demands of 3D CAD and rendering software, so you can visualize your idea anytime during the design process.

HP's secure workstations

Advanced security features come standard on every Z4. Rest assured your device, identity and data are safe with security software like HP Client Security Suite and HP Sure Start, the self-healing BIOS with intrusion detection.

Main Specifications

Product Description	HP Workstation Z4 G4 - MT - Xeon W-2245 3.9 GHz - vPro - 128 GB - SSD 512 GB, HDD 2 TB - Swiss
Туре	Workstation - mini tower
Bundled Services	HP 5 years Next Business Day Onsite Hardware Support for Workstations (Unit Only)
Platform Technology	Intel vPro Platform
Height (Rack Units)	4U
Localisation	Language: German, French, Italian / region: Switzerland
Processor	1 x Intel Xeon W-2245 / 3.9 GHz (4.7 GHz) (8-core)
Processor Socket	LGA2066 Socket
Processor Main Features	Hyper-Threading Technology, Intel Turbo Boost Max 3.0
Cache Memory	16.5 MB
Cache Per Processor	16.5 MB
RAM	128 GB (installed) / 512 GB (max) - DDR4 SDRAM - ECC
Storage Controller	RAID (SATA 6Gb/s)
Hard Drive	SSD 512 GB - PCI Express 3.0 x4 - M.2 2280 - HP Z Turbo Drive, NVM Express (NVMe), triple-level cell (TLC)
Hard Drive (2nd)	HDD 2 TB - SATA 6Gb/s - 7200 rpm
Optical Storage	No optical drive
Card Reader	Yes
Graphics Controller	NVIDIA Quadro RTX 6000
Video Memory	24 GB GDDR5X SDRAM
CUDA Cores Qty	3840

Networking	GigE
Keyboard	Swiss
Power	AC 120/230 V (50/60 Hz)
OS Provided	Ubuntu
Colour	Black
Dimensions (WxDxH)	16.9 cm x 44.5 cm x 38.6 cm
Weight	10.2 kg
Manufacturer Warranty	Limited warranty - parts and labour - 3 years - on-site

Extended Specification

General

Platform Technology	Intel vPro Platform
Туре	Workstation
Bundled Services	HP 5 years Next Business Day Onsite Hardware Support for Workstations (Unit Only)
Product Form Factor	Mini tower - 4U
Built-in Devices	Speaker, HP Z4 Hi-Power CPU Cooling Solution
Embedded Security	Trusted Platform Module (TPM 2.0) Security Chip
Colour	Black
Localisation	Language: German, French, Italian / region: Switzerland

Processor / Chipset

Intel Xeon W-2245
3.9 GHz
4.7 GHz
8-core
1
1
Upgradable
Hyper-Threading Technology, Intel Turbo Boost Max 3.0
LGA2066 Socket
Intel C422

Cache Memory

Installed Size	16.5 MB
Cache Per Processor	16.5 MB

RAM

Installed Size	128 GB / 512 GB (max)
Technology	DDR4 SDRAM - ECC
Effective Memory Speed	2933 MHz
Rated Memory Speed	2933 MHz
Form Factor	DIMM 288-pin
Slots	8 (Total) / 0 (empty)
Features	Registered
Configuration Features	8 x 16 GB

Hard Drive

Туре	SSD - M.2 2280	
Capacity	1 x 512 GB	
Interface Type	PCI Express 3.0 x4	

Features HP Z Turbo Drive, NVM Express (NVMe), triple-level cell (TLC)

Hard Drive (2nd)

Туре	HDD
Interface Class	Serial ATA
Capacity	1 x 2 TB
Interface Type	SATA 6Gb/s
Spindle Speed	7200 rpm
Features	Enterprise

Storage Controller

Туре	1 x RAID
Controller Interface Type	SATA 6Gb/s
Channel Qty	6

RAID Level RAID 0,RAID 1,RAID 5,RAID 10

Optical Storage

Type	No optical drive
------	------------------

Card Reader

Туре	Card reader
Supported Flash Memory Cards	SD Memory Card, SDHC Memory Card, SDXC Memory Card, SDHC UHS-II Memory
Supported Flash Memory Cards	Card,SDXC UHS-II Memory Card

Monitor

Monitor Type	None.
--------------	-------

Graphics Controller

Graphics Processor	NVIDIA Quadro RTX 6000
Video Memory	24 GB GDDR5X SDRAM
CUDA Cores Qty	3840
Video Interfaces	DVI. DisplayPort

Audio Output

Compliant Standards	mpliant Standards High Definition Audio
Compliant Standards	npliant Standards High Definition Audio

Input Device

Type	Mouse, keyboard
1,700	modso, noy boar a

Keyboard

|--|--|

Interface	USB
Localization &Layout	Swiss

Mouse

Technology	Optical
Interface	USB

Networking

Ethernet Ports	2 x Gigabit Ethernet
Ethernet Controller	Intel I219-LM,I210-AT
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
Features	Wake on LAN (WoL), Intel Active Management Technology (AMT), PXE 2.1 support

Expansion / Connectivity

Bays	2 (total) / 1 (free) x external 5.25" 2 (total) / 1 (free) x internal 3.5"
Slots	2 (total) / 1 (free) x PCIe 3.0 x16 2 (total) / 2 (free) x PCIe 3.0 x4 (open ended) 1 (total) / 1 (free) x PCIe 3.0 x8 (open ended) 2 (total) / 1 (free) x M.2 Card - 2260/2280/22110 (x4 mode)
Interfaces	8 x USB 3.1 Gen 1 (2 front,6 rear) (one of them is charging) 1 x headphones/microphone (1 in front) 1 x audio line-out/line-in 1 x PS/2 keyboard / mouse 2 x LAN (Gigabit Ethernet) 4 x DisplayPort 1 x SLI 1 x DVI-D (dual link) 2 x USB-C 3.1 Gen 2 (2 in front) 1 x guadro video sync-out

Miscellaneous

Theft/Intrusion Protection	Security lock slot (cable lock sold separately)
Security Slot Type	Kensington security slot
Compliant Standards	RoHS, WEEE, Common Criteria EAL4+, ACPI 5.0, low halogen

Power

Device Type	Power supply
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	1000 Watt
80 PLUS Certification	80 PLUS
Efficiency	90%
Power Factor Correction	Yes (active)

Operating System / Software

Manufacturer Warranty

Service & Support	Limited warranty - parts and labour - 3 years - on-site	
-------------------	---	--

Dimensions & Weight

Width	16.9 cm
Depth	44.5 cm
Height	38.6 cm
Weight	10.2 kg

Dimensions &Weight (Shipping)

Shipping Width	31.4 cm
Shipping Depth	56.3 cm
Shipping Height	57.2 cm

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	10 - 85% (non-condensing)

Computer 2000 is not responsible for the errors in the documentation of products